IN THE CLAIMS:

A status of all the claims of the present Application is presented below:

1. (Currently amended) An audio/video (A/V) component networking system, comprising:

a source component;

a presentation device; and

a sink component disposed remote from the source component and adapted to control presentation of A/V program data received from the source component on the presentation device, the sink component adapted to transmit a command to the source component to control streaming of an A/V menu interface of the source component for display on the presentation device, the sink component configured to decode the A/V program data.

2. (Canceled)

- 3. (Previously Presented) The system of Claim 1, wherein the sink component is adapted to enable the user to access the A/V menu interface associated with the source component.
- 4. **(Original)** The system of Claim 1, wherein the sink component is adapted to perform a registration operation to register the source component with the sink component.
- 5. (**Original**) The system of Claim 1, wherein the sink component is adapted to transfer the A/V program data via a plurality of different types of communication networks.
- 6. (Original) The system of Claim 1, wherein the sink component is adapted to perform a registration operation to register a format of the A/V program data available from the source component with the sink component.
- 7. (Original) The system of Claim 1, wherein the source component is at least one of the group consisting of a satellite receiver component, a digital versatile disk (DVD) component,

a cable component, a computer, a video recorder component, and a compact disc (CD) component.

- 8. **(Original)** The system of Claim 1, wherein the sink component is adapted to perform a registration operation to register the presentation device with the sink component.
- 9. (Original) The system of Claim 1, wherein the sink component is adapted to filter the A/V program data available from the source component based on a format of the A/V program data.
- 10. (Original) The system of Claim 1, wherein the sink component is adapted to filter the A/V program data available from the source component based on a type of the presentation device coupled to the sink component.
- 11. (Original) The system of Claim 1, wherein the sink component is adapted to control a menu function associated with the A/V program data.
- 12. (Original) The system of Claim 1, wherein the sink component is adapted to access an A/V program data library of the source component.
- 13. (Currently amended) An audio/video (A/V) component networking method, comprising:

controlling, via a sink component, presentation of A/V program data received from a remote source component on a presentation device, the sink component configured to decode the A/V program data received from the source component; and

controlling, via a command issued by the sink component to the source component, streaming of an A/V menu interface of the source component for presentation on the presentation device.

14. (Original) The method of Claim 13, further comprising performing a registration operation to register the source component with the sink component.

15. (Original) The method of Claim 13, further comprising performing a registration operation to register a format of the A/V program data available from the source component with the sink component.

16. (Canceled)

- 17. (Original) The method of Claim 13, wherein controlling, via a command issued by the sink component, comprises transmitting the command to at least one of the group consisting of a satellite receiver component, a digital versatile disk (DVD) component, a cable component, a computer, and a compact disc (CD) component.
- 18. (Previously presented) The method of Claim 13, further comprising accessing the A/V menu interface of the source component via the sink component.

19. (Canceled)

- 20. (Original) The method of Claim 13, further comprising filtering the A/V program displayed on the presentation device based on a format of the A/V program data.
- 21. (Original) The method of Claim 13, further comprising filtering the A/V program data displayed on the presentation device based on a type of the presentation device coupled to the sink component.
- 22. (Currently amended) An audio/video (A/V) component networking system, comprising:

means for controlling, via a sink component, presentation of A/V program data received from a remote source component on a presentation device; [[and]]

means for decoding, via the sink component, the A/V program data received from the source component; and

means for controlling, via a command issued by the sink component to the source component, streaming of an A/V menu interface from the source component for presentation on the presentation device.

- 23. (Canceled)
- 24. (Canceled)
- 25. (Original) The system Claim 22, further comprising means for registering the source component with the sink component.
- 26. (Original) The system of Claim 22, further comprising means for filtering the A/V program data displayed on the presentation device based on a type of presentation device coupled to the sink component.
- 27. (Currently amended) An audio/video (A/V) component networking method, comprising:

receiving, via a sink component, A/V program data from a remote source component;

decoding, via the sink component, the A/V program data received from the source component;

presenting the A/V program data on a presentation device; and providing, via the sink component, a real time, automatically updating, menu interface of the source component on the presentation device.

28. (Previously presented) The method of Claim 27, further comprising:

receiving an input by the sink component corresponding the menu interface presented on the presentation device; and

transferring the input to the source component.